

maica™



maLaminate

mai™ BOUTIQ

The Signatures of Maica
Distinctive and Excellent



mai
BEHOLDING
ORIGINALITY
UNIQUENESS
TREND
IDENTITY
QUEST

1 Brand
Quality

Where
Imagination
comes
to Life

Some things
never
Change

01 Moderas
Maica's signature surface finish for
maiWoodgrain

12 Matte
Maica's signature surface finish that
expresses the character of the design

14 High Gloss
Maica's signature surface finish for extreme
smoothness

22 Surface
A range of timeless maiWoodgrain designs

27 Shade
A vibrant range of colours

Contents



A Finish That Exemplifies maiWoodgrain



Moderas

maEDGE is available. Please call us for more information.



M 30415 - MD
Biria Oak



M 30414 - MD
Gighi Oak



M 30411 - MD
Avoir Oak



M 30406 - MD
Sousiante Oak



M 30410 - MD
Pepier Oak



M 30409 - MD
Polissa Oak



M 30413 - MD
Cabossa Oak

Oak



M 30307 - MD
Alva Maple



M 30304 - MD
Lavado Maple



M 30308 - MD
Nila Maple



M 32803 - MD
Missipa Chestnut



M 30611 - MD
Ventata Walnut



M 30613 - MD
Wellgi Walnut



M 30612 - MD
Melmosa Walnut



M 30614 - MD
Eferei Walnut



M 30209 - MD
Cassini Cherry



M 30208 - MD
Malra Cherry



M 30105 - MD
Puliri Beech



M 30106 - MD
Conico Beech



M 30104 - MD
Papilla Beech



M 30107 - MD
Sporco Beech



M 32404 - MD
Orella Ash



M 32402 - MD
Attexo Ash



M 32007 - MD
Diamond Salva



M 32006 - MD
Plidot Birch



M 31205 - MD
Mila Teak



M 31206 - MD
Poceraro Teak



M 31207 - MD
Pacora Teak



M 35201 - MD
Moseta Ulmus



M 30609 - MD
Holzkoh Walnut



M 30416 - MD
Facela Oak



M 32107 - MD
Cevera Salva



M 32005 - MD
Staccato Birch



M 35401 - MD
Groya



M 32403 - MD
Sombra Ash



M 32106 - MD
Espiri Salva



M 33305 - MD
Pinny Euca



M 32703 - MD
Calmo Zebrano



M 32704 - MD
Vivace Zebrano



M 30305 - MD
Lavi Maple



M 35100 - MD
Mokosa



M 33303 - MD
Eukali Linewood



M 33306 - MD
Jewells Euca



M 30306 - MD
Luvo Maple



M 35000 - MD
Doce Sipo



M 35301 - MD
Chafumto



M 35302 - MD
Mario



M 32102 - MD
Impressio



M 32101 - MD
Akasha



M 32105 - MD
Filgra



M 32501 - MD
Scintilla



M 30702 - MD
Arenos Pine



M 30303 - MD
Estico Maple



M 35200 - MD
Nani Ulmus



M 33401 - MD
Classica Aromawood



M 31604 - MD
Bibishil Bamboo



M 30604 - MD
Ambrosia Walnut



M 32104 - MD
Artiglia



M 30705 - MD
Eili Pine



M 30706 - MD
Eduis Pine



M 30707 - MD
Oriza Pine



M 30704 - MD
Titara Pine



M 30615 - MD
Rhine Walnut



M 35402 - MD
Beyan



M 31605 - MD
Satoki



M 31606 - MD
Chakore



M 35404 - MD
Paso Hickory



Horizontal



M 33304 - MD
Mikusu Linewood



M 30417 - MD
Fureta Oak



M 30412 - MD
Bourba Oak

A Finish That Enhances Colour



Available for maiSolid Colour &
maiWoodgrain in 4ft x 8ft
Please call us for more information.

Matte




Reflecting the Finest Details

Optional:



Available for maiSolid Colour &
maiWoodgrain in 4ft x 8ft
Please call us for more information.

High Gloss





M 35301 - G
Chafumto



M 30413 - G
Cabossa Oak



M 33303 - G
Eukali Linewood



M 30616 - G
Flores Walnut



M 32403 - G
Sombra Ash



M 32704 - G
Vivace Zebrano



M 35302 - G
Mario



M 30609 - G
Holzkoh Walnut



M 30615 - G
Rhine Walnut



M 00479 - G
Titan Silver



M 32108 - G
Sperlonga



M 20220 - G
Viareggio Marble



M 20217 - G
Borghini Marble



M 20222 - G
Carrara Marble





M 20220 - G
Viareggio
Marble





maiTM CLASSIQ

The Essence of Maica
Timeless and Matchless



C maiTM
ELEBRATING
LIFE
AUTHENTICITY
SIMPLICITY
STYLE
INFINITY
QUALITY

Immortally
Trendy



Surface





M 39000 - X
Marron Oak



M 39001 - X
Emden Walnut



M 39002 - X
Seeland Walnut



M 39003 - X
Anglet Oak



M 39004 - X
Potsdam Walnut



M 39005 - X
Chene Oak



M 39006 - X
Bibury Pear



M 39007 - X
Noyou Oak



M 39008 - X
Courante Oak



M 39009 - X
Glazov Elm




M 39010 - X
Kazan Elm



M 39011 - X
Cordelia Cherry



M 39012 - X
Malfetta Beach



M 39013 - X
Yelets Elm



M 39014 - X
Bagnolet Oak



M 39015 - X
Pechory Elm



M 39016 - X
Stolberg Walnut



M 39017 - X
Tomsk Elm



M 39018 - X
Weimar Walnut



M 39019 - X
Novalia



M 39020 - X
Swiss Pine



M 39021 - X
Chevoor Teak



M 39022 - X
Jena Walnut



M 39023 - X
Quincy Ash



M 39024 - X
Minot Ash



M 39025 - X
Beaune



M 39026 - X
Baltimore Ash

Splendidly Vivid
and Lively



Shade

☐ maiEDGE is available. Please call us for more information.



M 10703 - X
Vieux Purple

M 10701 - X
Laité Purple

M 10700 - X
Pleasant
Lavender

M 10702 - X
Force
Purple

M 10705 - X
Merlot
Purple



M 10305 - X
Pelle Pink

M 10300 - X
Fake Pink

M 10304 - X
Orcha Pink

M 10303 - X
Rosa Pink

M 10104 - X
Caldo Red



M 10909 - X
Milky Green

M 11004 - X
Glace Blue

M 11000 - X
Light Petal
Blue

M 01237 - X
Slate Blue

M 01239 - X
Tropic Blue



M 10900 - X
Green
Yellow

M 10202 - X
Champagne
Yellow

M 10200 - X
Light Yellow

M 02160 - X
Sahara
Yellow

M 10401 - X
Sunny
Orange



M 01455 - X
Apple
Green

M 10904 - X
Olive Gold

M 10912 - X
Gala Green

M 10903 - X
Spring
Green

M 10902 - X
Kentucky
Green



M 10906 - X
Bougle
Green

M 10910 - X
Muro Green

M 10907 - X
Turquoise
Green

M 10908 - X
Malibu
Green

M 11005 - X
Ocean Blue





M 01597 - X
Warm White



M 01991 - X
Parchment White



M 10800 - X
Snowflake White



M 01591 - X
Snow White



M 11200 - X
Designer Black



M 01019 - X
Silver Grey



M 11101 - X
4° Cool Grey



M 01024 - X
Canvas Grey



M 01034 - X
3° Cool Grey



M 11100 - X
5° Cool Grey



M 01028 - X
Charcoal Grey



M 11102 - X
Shadow Grey



☐ maiEDGE is available. Please call us for more information.

| Pattern No. / Finish | Pattern Name | Page | Thickness (mm) | Size Available |
|----------------------|-----------------|-------|----------------|----------------|
| maiWoodgrain | | | | |
| M 30104 - MD | Papilio Beech | PG 05 | 0.7 | 4ft x 8ft |
| M 30105 - MD | Puffin Beech | PG 05 | 0.7 | 4ft x 8ft |
| ☐ M 30106 - MD | Canico Beech | PG 05 | 0.7 | 4ft x 8ft |
| M 30107 - MD | Sparca Beech | PG 05 | 0.7 | 4ft x 8ft |
| M 30208 - MD | Maira Cherry | PG 04 | 0.7 | 4ft x 8ft |
| M 30209 - MD | Cassini Cherry | PG 04 | 0.7 | 4ft x 8ft |
| M 30303 - MD | Estico Maple | PG 09 | 0.7 | 4ft x 8ft |
| M 30304 - MD | Lavado Maple | PG 04 | 0.7 | 4ft x 8ft |
| M 30305 - MD | Lavi Maple | PG 08 | 0.7 | 4ft x 8ft |
| M 30306 - MD | Luvo Maple | PG 08 | 0.7 | 4ft x 8ft |
| M 30307 - MD | Alva Maple | PG 04 | 0.7 | 4ft x 8ft |
| M 30308 - MD | Nila Maple | PG 04 | 0.7 | 4ft x 8ft |
| M 30406 - MD | Sousante Oak | PG 03 | 0.7 | 4ft x 8ft |
| M 30409 - MD | Polissa Oak | PG 03 | 0.7 | 4ft x 8ft |
| M 30410 - MD | Pepier Oak | PG 03 | 0.7 | 4ft x 8ft |
| M 30411 - MD | Avair Oak | PG 03 | 0.7 | 4ft x 8ft |
| M 30412 - MD | Bourba Oak | PG 11 | 0.7 | 4ft x 8ft |
| M 30413 - G | Cabossa Oak | PG 16 | 1.0 | 4ft x 8ft |
| M 30413 - MD | Cabossa Oak | PG 03 | 0.7 | 4ft x 8ft |
| M 30414 - MD | Gigiri Oak | PG 03 | 0.7 | 4ft x 8ft |
| M 30415 - MD | Brila Oak | PG 03 | 0.7 | 4ft x 8ft |
| ☐ M 30416 - MD | Facela Oak | PG 07 | 0.7 | 4ft x 8ft |
| M 30417 - MD | Fureta Oak | PG 11 | 0.7 | 4ft x 8ft |
| M 30418 - MD | Kane Oak | PG 01 | 0.7 | 4ft x 8ft |
| M 30419 - MD | Maynard Oak | PG 01 | 0.7 | 4ft x 8ft |
| ☐ M 30604 - MD | Ambrosia Walnut | PG 09 | 0.7 | 4ft x 8ft |
| M 30609 - G | Holzoh Walnut | PG 16 | 1.0 | 4ft x 8ft |
| ☐ M 30609 - MD | Holzoh Walnut | PG 07 | 0.7 | 4ft x 8ft |
| M 30611 - MD | Ventata Walnut | PG 04 | 0.7 | 4ft x 8ft |
| M 30612 - MD | Melmasa Walnut | PG 04 | 0.7 | 4ft x 8ft |
| M 30613 - MD | Weligi Walnut | PG 04 | 0.7 | 4ft x 8ft |
| M 30614 - MD | Eferel Walnut | PG 04 | 0.7 | 4ft x 8ft |
| M 30615 - G | Rhine Walnut | PG 16 | 1.0 | 4ft x 8ft |
| M 30615 - MD | Rhine Walnut | PG 10 | 0.7 | 4ft x 8ft |
| M 30616 - G | Flores Walnut | PG 16 | 1.0 | 4ft x 8ft |
| M 30616 - MD | Flores Walnut | PG 02 | 0.7 | 4ft x 8ft |
| M 30702 - MD | Arenas Pine | PG 09 | 0.7 | 4ft x 8ft |

| Pattern No. / Finish | Pattern Name | Page | Thickness (mm) | Size Available |
|----------------------|--------------------|-------|----------------|----------------|
| M 30704 - MD | Titara Pine | PG 10 | 0.7 | 4ft x 8ft |
| M 30705 - MD | Ellil Pine | PG 10 | 0.7 | 4ft x 8ft |
| M 30706 - MD | Edufis Pine | PG 10 | 0.7 | 4ft x 8ft |
| M 30707 - MD | Oriza Pine | PG 10 | 0.7 | 4ft x 8ft |
| M 31205 - MD | Mifa Teak | PG 05 | 0.7 | 4ft x 8ft |
| M 31206 - MD | Pacarara Teak | PG 05 | 0.7 | 4ft x 8ft |
| M 31207 - MD | Pacora Teak | PG 05 | 0.7 | 4ft x 8ft |
| M 31604 - MD | Bibishi Bamboo | PG 09 | 0.7 | 4ft x 8ft |
| M 31605 - MD | Satoki | PG 10 | 0.7 | 4ft x 8ft |
| M 31606 - MD | Chokore | PG 10 | 0.7 | 4ft x 8ft |
| M 32005 - MD | Staccato Birch | PG 07 | 0.7 | 4ft x 8ft |
| M 32006 - MD | Piddot Birch | PG 05 | 0.7 | 4ft x 8ft |
| M 32007 - MD | Diamond Salva | PG 05 | 0.7 | 4ft x 8ft |
| M 32101 - MD | Akasha | PG 09 | 0.7 | 4ft x 8ft |
| ☐ M 32102 - MD | Impressio | PG 09 | 0.7 | 4ft x 8ft |
| M 32104 - MD | Ariccia | PG 09 | 0.7 | 4ft x 8ft |
| M 32105 - MD | Filgra | PG 09 | 0.7 | 4ft x 8ft |
| M 32106 - MD | Espiri Salva | PG 07 | 0.7 | 4ft x 8ft |
| M 32107 - MD | Cevera Salva | PG 07 | 0.7 | 4ft x 8ft |
| M 32108 - G | Sperlonga | PG 17 | 1.0 | 4ft x 8ft |
| M 32108 - MD | Sperlonga | PG 02 | 0.7 | 4ft x 8ft |
| M 32402 - MD | Attexo Ash | PG 05 | 0.7 | 4ft x 8ft |
| M 32403 - G | Sombra Ash | PG 16 | 1.0 | 4ft x 8ft |
| M 32403 - MD | Sombra Ash | PG 07 | 0.7 | 4ft x 8ft |
| M 32404 - MD | Orella Ash | PG 05 | 0.7 | 4ft x 8ft |
| M 32501 - MD | Scintilla | PG 09 | 0.7 | 4ft x 8ft |
| M 32703 - MD | Calma Zebrano | PG 08 | 0.7 | 4ft x 8ft |
| M 32704 - G | Vivace Zebrano | PG 16 | 1.0 | 4ft x 8ft |
| M 32704 - MD | Vivace Zebrano | PG 08 | 0.7 | 4ft x 8ft |
| ☐ M 32803 - MD | Missipa Chestnut | PG 04 | 0.7 | 4ft x 8ft |
| M 33303 - G | Eukali Linewood | PG 16 | 1.0 | 4ft x 8ft |
| M 33303 - MD | Eukali Linewood | PG 08 | 0.7 | 4ft x 8ft |
| M 33304 - MD | Mikkusu Linewood | PG 11 | 0.7 | 4ft x 8ft |
| M 33305 - MD | Pinny Euca | PG 08 | 0.7 | 4ft x 8ft |
| ☐ M 33306 - MD | Jewells Euca | PG 08 | 0.7 | 4ft x 8ft |
| M 33401 - MD | Classica Aromawood | PG 09 | 0.7 | 4ft x 8ft |
| M 35000 - MD | Doce Sipo | PG 08 | 0.7 | 4ft x 8ft |
| M 35100 - MD | Mokosa | PG 08 | 0.7 | 4ft x 8ft |

☐ maiEDGE is available. Please call us for more information.

| Pattern No. / Finish | Pattern Name | Page | Thickness (mm) | Size Available |
|----------------------|------------------|-------|----------------|----------------|
| M 35200 - MD | Nani Ulmus | PG 09 | 0.7 | 4ft x 8ft |
| ☐ M 35201 - MD | Mosefa Ulmus | PG 07 | 0.7 | 4ft x 8ft |
| M 35301 - G | Chafumto | PG 16 | 1.0 | 4ft x 8ft |
| M 35301 - MD | Chafumto | PG 08 | 0.7 | 4ft x 8ft |
| M 35302 - G | Marlio | PG 16 | 1.0 | 4ft x 8ft |
| M 35302 - MD | Marlio | PG 08 | 0.7 | 4ft x 8ft |
| M 35401 - MD | Groya | PG 07 | 0.7 | 4ft x 8ft |
| M 35402 - MD | Beyan | PG 10 | 0.7 | 4ft x 8ft |
| M 35403 - MD | Leon Hickory | PG 01 | 0.7 | 4ft x 8ft |
| M 35404 - MD | Paso Hickory | PG 10 | 0.7 | 4ft x 8ft |
| M 39000 - X | Marron Oak | PG 24 | 0.7 | 4ft x 8ft |
| M 39001 - X | Emden Walnut | PG 24 | 0.7 | 4ft x 8ft |
| M 39002 - X | Seeland Walnut | PG 24 | 0.7 | 4ft x 8ft |
| M 39003 - X | Anglet Oak | PG 24 | 0.7 | 4ft x 8ft |
| M 39004 - X | Potsdam Walnut | PG 24 | 0.7 | 4ft x 8ft |
| M 39005 - X | Chene Oak | PG 24 | 0.7 | 4ft x 8ft |
| M 39006 - X | Bilbury Pear | PG 24 | 0.7 | 4ft x 8ft |
| M 39007 - X | Noyou Oak | PG 24 | 0.7 | 4ft x 8ft |
| M 39008 - X | Courante Oak | PG 24 | 0.7 | 4ft x 8ft |
| M 39009 - X | Glazov Elm | PG 25 | 0.7 | 4ft x 8ft |
| M 39010 - X | Kazan Elm | PG 25 | 0.7 | 4ft x 8ft |
| M 39011 - X | Cordelia Cherry | PG 25 | 0.7 | 4ft x 8ft |
| M 39012 - X | Malfetta Beech | PG 25 | 0.7 | 4ft x 8ft |
| M 39013 - X | Yelets Elm | PG 25 | 0.7 | 4ft x 8ft |
| M 39014 - X | Bagnolet Oak | PG 25 | 0.7 | 4ft x 8ft |
| M 39015 - X | Pechory Elm | PG 25 | 0.7 | 4ft x 8ft |
| M 39016 - X | Stollberg Walnut | PG 25 | 0.7 | 4ft x 8ft |
| M 39017 - X | Tamsk Elm | PG 25 | 0.7 | 4ft x 8ft |
| M 39018 - X | Weimar Walnut | PG 26 | 0.7 | 4ft x 8ft |
| M 39019 - X | Novalia | PG 26 | 0.7 | 4ft x 8ft |
| M 39020 - X | Swiss Pine | PG 26 | 0.7 | 4ft x 8ft |
| M 39021 - X | Chevoor Teak | PG 26 | 0.7 | 4ft x 8ft |
| M 39022 - X | Jena Walnut | PG 26 | 0.7 | 4ft x 8ft |
| M 39023 - X | Quincy Ash | PG 26 | 0.7 | 4ft x 8ft |
| M 39024 - X | Minot Ash | PG 26 | 0.7 | 4ft x 8ft |
| M 39025 - X | Beaune | PG 26 | 0.7 | 4ft x 8ft |
| M 39026 - X | Baltimore Ash | PG 26 | 0.7 | 4ft x 8ft |

| Pattern No. / Finish | Pattern Name | Page | Thickness (mm) | Size Available |
|------------------------|------------------|-------|----------------|----------------|
| maiSolid Colour | | | | |
| M 01019 - X | Silver Grey | PG 32 | 0.7 | 4ft x 8ft |
| M 01024 - X | Cenere Grey | PG 32 | 0.7 | 4ft x 8ft |
| M 01028 - G | Charcoal Grey | PG 15 | 1.0 | 4ft x 8ft |
| M 01028 - X | Charcoal Grey | PG 32 | 0.7 | 4ft x 8ft |
| M 01034 - X | 3° Cool Grey | PG 32 | 0.7 | 4ft x 8ft |
| M 01237 - X | Slate Blue | PG 28 | 0.7 | 4ft x 8ft |
| M 01239 - G | Tropic Blue | PG 15 | 1.0 | 4ft x 8ft |
| M 01239 - X | Tropic Blue | PG 28 | 0.7 | 4ft x 8ft |
| M 01241 - X | Darksky Blue | PG 31 | 0.7 | 4ft x 8ft |
| M 01448 - X | Forest Green | PG 31 | 0.7 | 4ft x 8ft |
| M 01455 - X | Apple Green | PG 29 | 0.7 | 4ft x 8ft |
| M 01456 - X | Rifle Green | PG 31 | 0.7 | 4ft x 8ft |
| M 01591 - G | Snow White | PG 15 | 0.7 | 4ft x 8ft |
| M 01591 - WB | Snow White | PG 15 | 0.6 | 4ft x 8ft |
| M 01591 - X | Snow White | PG 32 | 0.7 | 4ft x 8ft |
| M 01597 - G | Warm White | PG 15 | 1.0 | 4ft x 8ft |
| M 01597 - M | Warm White | PG 13 | 0.7 | 4ft x 8ft |
| M 01597 - X | Warm White | PG 32 | 0.7 | 4ft x 8ft |
| M 01835 - X | Crème Beige | PG 31 | 0.7 | 4ft x 8ft |
| M 01871 - X | Walnut Brown | PG 30 | 0.7 | 4ft x 8ft |
| M 01894 - X | Light Brown | PG 31 | 0.7 | 4ft x 8ft |
| M 01895 - G | White Beige | PG 15 | 1.0 | 4ft x 8ft |
| M 01895 - X | White Beige | PG 31 | 0.7 | 4ft x 8ft |
| ☐ M 01991 - X | Parchment White | PG 32 | 0.7 | 4ft x 8ft |
| M 01993 - X | Light Beige | PG 31 | 0.7 | 4ft x 8ft |
| M 02160 - X | Sahara Yellow | PG 29 | 0.7 | 4ft x 8ft |
| M 10100 - X | Exciting Red | PG 30 | 0.7 | 4ft x 8ft |
| M 10101 - X | Amazon Red | PG 30 | 0.7 | 4ft x 8ft |
| M 10102 - X | Maroon | PG 30 | 0.7 | 4ft x 8ft |
| M 10104 - G | Caida Red | PG 15 | 1.0 | 4ft x 8ft |
| M 10104 - X | Caida Red | PG 28 | 0.7 | 4ft x 8ft |
| M 10105 - X | Mahogany Red | PG 30 | 0.7 | 4ft x 8ft |
| M 10200 - G | Light Yellow | PG 15 | 1.0 | 4ft x 8ft |
| M 10200 - X | Light Yellow | PG 29 | 0.7 | 4ft x 8ft |
| M 10202 - X | Champagne Yellow | PG 29 | 0.7 | 4ft x 8ft |
| M 10300 - M | Fake Pink | PG 13 | 0.7 | 4ft x 8ft |
| M 10300 - X | Fake Pink | PG 28 | 0.7 | 4ft x 8ft |

maEDGE is available. Please call us for more information.

| Pattern No. / Finish | Pattern Name | Page | Thickness (mm) | Size Available |
|----------------------|-------------------|-------|----------------|----------------|
| M 10302 - X | Honey Pink | PG 30 | 0.7 | 4ft x 8ft |
| M 10303 - X | Rosa Pink | PG 28 | 0.7 | 4ft x 8ft |
| M 10304 - X | Orcha Pink | PG 28 | 0.7 | 4ft x 8ft |
| M 10305 - X | Pelle Pink | PG 28 | 0.7 | 4ft x 8ft |
| M 10400 - X | Autumn Orange | PG 30 | 0.7 | 4ft x 8ft |
| M 10401 - X | Sunny Orange | PG 29 | 0.7 | 4ft x 8ft |
| M 10403 - X | Eclipse Orange | PG 30 | 0.7 | 4ft x 8ft |
| M 10500 - X | Clair Beige | PG 31 | 0.7 | 4ft x 8ft |
| M 10501 - X | Bisque Beige | PG 30 | 0.7 | 4ft x 8ft |
| M 10502 - X | Sunny Beige | PG 30 | 0.7 | 4ft x 8ft |
| M 10503 - X | Farine Beige | PG 30 | 0.7 | 4ft x 8ft |
| M 10600 - X | Brick Red | PG 30 | 0.7 | 4ft x 8ft |
| M 10601 - X | Dark Chocolate | PG 30 | 0.7 | 4ft x 8ft |
| M 10602 - X | Mocha Latte | PG 30 | 0.7 | 4ft x 8ft |
| M 10603 - X | Neutral Brown | PG 31 | 0.7 | 4ft x 8ft |
| maEDGE M 10604 - X | Porcelain Brown | PG 31 | 0.7 | 4ft x 8ft |
| maEDGE M 10605 - X | Cendre Brown | PG 30 | 0.7 | 4ft x 8ft |
| M 10606 - X | Chemin Brown | PG 31 | 0.7 | 4ft x 8ft |
| M 10700 - X | Pleasant Lavender | PG 28 | 0.7 | 4ft x 8ft |
| M 10701 - M | Laité Purple | PG 13 | 0.7 | 4ft x 8ft |
| M 10701 - X | Laité Purple | PG 28 | 0.7 | 4ft x 8ft |
| M 10702 - X | Fonce Purple | PG 28 | 0.7 | 4ft x 8ft |
| M 10703 - X | Vieux Purple | PG 28 | 0.7 | 4ft x 8ft |
| M 10704 - X | Melange Pourpre | PG 31 | 0.7 | 4ft x 8ft |
| M 10705 - X | Merlot Purple | PG 28 | 0.7 | 4ft x 8ft |
| M 10800 - X | Snowflake White | PG 32 | 0.7 | 4ft x 8ft |
| M 10900 - M | Green Yellow | PG 13 | 0.7 | 4ft x 8ft |
| M 10900 - X | Green Yellow | PG 29 | 0.7 | 4ft x 8ft |
| M 10901 - X | Amy Green | PG 31 | 0.7 | 4ft x 8ft |
| M 10902 - X | Kentucky Green | PG 29 | 0.7 | 4ft x 8ft |
| M 10903 - X | Spring Green | PG 29 | 0.7 | 4ft x 8ft |
| M 10904 - X | Olive Gold | PG 29 | 0.7 | 4ft x 8ft |
| M 10906 - X | Bougie Green | PG 29 | 0.7 | 4ft x 8ft |
| M 10907 - X | Turquoise Green | PG 29 | 0.7 | 4ft x 8ft |
| M 10908 - X | Malibu Green | PG 29 | 0.7 | 4ft x 8ft |
| M 10909 - X | Milky Green | PG 28 | 0.7 | 4ft x 8ft |
| M 10910 - X | Muro Green | PG 29 | 0.7 | 4ft x 8ft |
| M 10912 - X | Gala Green | PG 29 | 0.7 | 4ft x 8ft |

| Pattern No. / Finish | Pattern Name | Page | Thickness (mm) | Size Available |
|----------------------|------------------|-------|----------------|----------------|
| M 10913 - X | Shamrock Green | PG 31 | 0.7 | 4ft x 8ft |
| M 11000 - X | Light Petal Blue | PG 28 | 0.7 | 4ft x 8ft |
| M 11001 - X | Midnight Blue | PG 31 | 0.7 | 4ft x 8ft |
| M 11004 - M | Glaze Blue | PG 13 | 0.7 | 4ft x 8ft |
| M 11004 - X | Glaze Blue | PG 28 | 0.7 | 4ft x 8ft |
| M 11005 - X | Ocean Blue | PG 29 | 0.7 | 4ft x 8ft |
| M 11100 - X | 5° Cool Grey | PG 32 | 0.7 | 4ft x 8ft |
| M 11101 - G | 4° Cool Grey | PG 15 | 1.0 | 4ft x 8ft |
| M 11101 - X | 4° Cool Grey | PG 32 | 0.7 | 4ft x 8ft |
| M 11102 - X | Shadow Grey | PG 32 | 0.7 | 4ft x 8ft |
| M 11200 - G | Designer Black | PG 15 | 1.0 | 4ft x 8ft |
| M 11200 - M | Designer Black | PG 13 | 0.7 | 4ft x 8ft |
| M 11200 - X | Designer Black | PG 32 | 0.7 | 4ft x 8ft |

maStone & Design

| | | | | |
|-------------|------------------|-------|-----|-----------|
| M 00479 - G | Titan Silver | PG 16 | 1.0 | 4ft x 8ft |
| M 20217 - G | Borghini Marble | PG 18 | 1.0 | 4ft x 8ft |
| M 20220 - G | Viareggio Marble | PG 18 | 1.0 | 4ft x 8ft |
| M 20222 - G | Cararra Marble | PG 18 | 1.0 | 4ft x 8ft |

maFinishes Codes & Names

- G** - High Gloss
- M** - Matte
- MD** - Moderas
- WB** - White Board
- X** - Texture



The passion of Maica goes beyond manufacturing High Pressure Decorative Laminate (HPL) and Compact Laminates. In compliance with the European Standard EN 438, product quality is indisputably its primary focus. Notwithstanding, Green Manufacturing and Green Products have a very special place in the heart of Maica.

Maica is committed to manufacture environmental-friendly products with the use of sustainable raw materials. The use of kraft papers that are made of virgin pulps from non-virgin plantations / forestry has earned Maica the Singapore Green Label for the 'Made from Renewable / Sustainable Materials' category.

In addition, Maica's products are certified for GREENGUARD and GREENGUARD GOLD, the proofs of low chemical emissions that warrant healthy indoor air quality.

Moreover, Maica has secured MyHIAU for its maLaminat and maCompact and that they are accorded with certain Green Building Index (GBI) credit points that come with tax benefits.

Since 2015, Maica has obtained FSC Chain of Custody (CoC) certificate with FSC™ License Code of FSC™ C126725. Maica is ready to produce FSC Mix label maLaminat and maCompact upon request by customers.



Our products also carry a combination of the following maQualities



European Standard
EN 438



maiAnti-Bacterial

- Malca Laminates makes silver-ion antimicrobial technology a standard requirement for most of our laminate products.
- Our products are tested based on JIS Z2801:2012 for 5 types of bacteria; *Escherichia coli*, *Pseudomonas aeruginosa*, *Salmonella choleraesuis*, *Staphylococcus aureus* and *Methicillin-resistant Staphylococcus aureus*.
- It also reduces the level of microbes responsible for surface degradation and other associated issues, such as foul odour.
- Regular cleaning is required as part of the maintenance for the products as oil and dirt may undermine silver-ion technology from inhibiting the growth of bacteria and fungi.

maiAnti-Fungi

- Tested based on the ASTM G21 standard.
- Fungi tested; *Aspergillus niger*, *Penicillium pinaphilum*, *Chaetomium globosum*, *Glaciadium virens* and *Aureobasidium pullulans*.

maiFood Contact Safety

- Our laminates products are certified by ISEGA, a laboratory in Germany, to be safe for use for food preparation and treatment on the basis that hygiene regulations are not violated.

maiAnti-Scuffing (For High Gloss)

- An optional quality for High Gloss surface finish.
- Micro-solid particles are added to protect laminate surface from scuff.

Product Specification

Based on European Standard EN 438

| Property | Property or attribute | Unit (min. or max.) | EN 438 Values HGS | EN 438 Values VGS |
|---|-------------------------------|--------------------------|-------------------|-------------------|
| Resistance to Surface Wear | Wear Resistance | Revolutions (min.) | | |
| | | Initial point | 150 | 50 |
| | | Wear value | 350 | 150 |
| Resistance to Impact by Small Diameter Ball | Spring Force | N (min.) | 20 | 15 |
| Resistance to Impact by Large Diameter Ball | Drop Height | mm (min.) | 800 | 600 |
| | | Indent Diameter | 10 | 10 |
| Resistance to Scratching | Force | Rating (min.) | 3 | 2 |
| Dimensional Stability at Elevated Temperature | Cumulative Dimensional Change | % (max.) | L a) 0.55 | 0.75 |
| | | | T b) 1.05 | 1.25 |
| Resistance to Immersion in Boiling Water | Appearance | Rating (min.) | | |
| | | Glass finish | 3 | |
| | Other finishes | 4 | 4 | |
| Resistance to Dry Heat (180°C) | Appearance | Rating (min.) | | |
| | | Glass finish | 3 | |
| | Other finishes | 4 | 4 | |
| Resistance to Wet Heat (100°C) | Appearance | Rating (min.) | | |
| | | Glass Finish | 3 | |
| | Other finishes | 4 | 4 | |
| Resistance to Staining | Appearance | Rating (min.) | | |
| | | Groups 1 & 2 | 5 | 5 |
| | | Group 3 | 4 | 4 |
| Lightfastness (Xenon Arc) | Contrast | Grey scale rating | 4 to 5 | 4 to 5 |
| Resistance to Water Vapour | Appearance | Rating (min.) | | |
| | | Glass finish | 3 | |
| | Other finishes | 4 | 4 | |
| Resistance to Cigarette Burns | Appearance | Rating (min.) | 3 | 3 |
| Resistance to Cracking Under Stress | Appearance | Rating (min.) | 4 | 4 |
| Density | Density | kg/m ³ (min.) | 1350 | 1350 |

a) L = in the longitudinal (or machine) direction of the fibrous sheet material (normally the direction of the longest dimension of the laminate).

b) T = in the cross-longitudinal (cross-machine) direction of the fibrous sheet material (at right angles to direction L).

c) The above is a general Product Specification. Please contact our Sales Specialists for specific Product Specification.

Maintenance & Cleaning Instructions

General Cleaning Instructions

1. Use a clean, damp, non-abrasive cloth and mild soap, non-bleach or household cleaner.
2. Rinse with clear water, using a clean, non-abrasive cotton cloth.
3. Avoid flooding laminate particularly areas near to seams to prevent water from seeping in and consequently causing substrate to swell.
4. Dry laminate surface with a soft, clean, non-abrasive cotton cloth.

For Stubborn Stains:

1. Food stains: Use a mild cleaner, detergent or general purpose cleaner, and a short, soft nylon-bristled brush to gently clean stains.
2. Ink stains: Remove stains immediately, using detergent or glass spray cleaner. Allow cleaner to remain on the stain for several minutes and then blot with a damp cloth before rinse.
3. Solvents such as denatured alcohol, nail polish remover or paint thinner can be used sparingly for very stubborn stains.

Caution: Excessive use of solvents will damage the laminate finish and cause it more susceptible to stains. Do not use cleaning agents containing acid, alkaline or sodium hypochlorite on laminate surface to avoid corrosion or permanent discoloration.

To prolong the lifespan of Maica's laminate surface

- Do not use laminate surface as a cutting or chopping surface.
- Always remove stains or marks immediately before they set. Once set, they require more aggressive cleaning procedures that may damage laminate surface.
- Place a trivet, insulated hot pad or other protective padding beneath all hot cookware, heat generating appliances or other heated objects instead of putting it directly on laminate surface.
- Do not use steel wool or abrasive pads on laminate surface, and do not place steel wools on it to avoid metal rust stains.
- Do not slide ceramics and abrasive objects across laminate surface as they may cause scratch and premature wear.
- Do not use acidic or abrasive cleaning agents on laminate surface as it may damage surface.
- Do not allow contact between any materials or items contaminated with acidic or abrasive cleaning agents and laminate surface.

Disclaimer:

- The samples and products of Maica are manufactured with certain tolerances. They may not originate from the same batch of production. Pigment variation and angle of observation may influence the colour of products. For accurate representation, customers are advised to request samples from our Sales Specialists.
- Sample chips in this catalogue are intended for viewing purpose only. For product tests, please request for actual product samples.
- Maica will not be responsible for any claim arising from any errors in pasting sample chips in the catalogue. Therefore, customers are expected to inspect the products they receive before fabrication or installation.
- All information in this catalogue is correct at the time of print. However, Maica reserves the rights to make changes to the information in this catalogue without prior notice.
- The liability of Maica for any potential manufacturing faults is limited to the cost of the products only.
- All rights reserved. No part of this catalogue may be reproduced, stored in a retrieval system or transmitted, in any form or by any means, electronic, mechanical, photocopying, recording or otherwise, without the written permission of Maica Laminates Sdn Bhd (Company Registration No: 107254-D).

Maica Trademarks

'Maica', 'mai', 'maimai' and the 'maica' logo are trademarks of Maica Laminates Sdn Bhd.

International Sales Enquiries

MAICA LAMINATES SDN BHD (107254-D)
5100, Lorong Mak Mandin 5, Mak Mandin Industrial Estate,
13400 Butterworth, Penang, Malaysia.
T : +604 - 332 7436 / 332 7437 / 332 7439 / 332 7440
F : +604 - 332 6570 (Marketing) / 332 4045 (General)
E : marketing@maica.com.my

Sales & Distribution (Malaysia)

mailHotline

T : +6016 - 416 5687 / +604 - 332 7436
E : kringking@maica.com.my

MAICA CORPORATION SDN BHD

Administration Office, Penang
5100, Lorong Mak Mandin 5, Mak Mandin Industrial Estate,
13400 Butterworth, Penang.
T : +604 - 324 1436 / 324 5436
F : +604 - 324 9405
E : mchq@maicacorp.com

Butterworth, Penang

902, Jalan Bagan Ajam, Taman Zamrud,
13000 Butterworth, Penang.
T : +604 - 332 7200 / 332 7201
F : +604 - 331 8258
E : maicabtw@maicacorp.com

Petaling Jaya, Selangor

No. 25 & 27, Jalan PJS 7/21, Bandar Sunway,
46150 Petaling Jaya, Selangor.
T : +603 - 5631 3868 (Hotline)
F : +603 - 5631 3889 (General) /
+603 - 5638 3213 (Customer Service)
E : maicapj@maicacorp.com

Johor Bahru, Johor

No. 31 & 33, Jalan Mutiara Emas 5/23, Taman Mount Austin,
81100 Johor Bahru, Johor.
T : +607 - 354 0011 / 353 6185
F : +607 - 353 6187 / 351 1905
E : maicajb@maicacorp.com

Kota Kinabalu, Sabah

No. 2A, Lot 22, Industry E33 Likas, Mfe 2/1, Jalan Tuaran Likas,
88400 Kota Kinabalu, Sabah.
T : +6088 - 278 897 / 278 898
F : +6088 - 278 808
E : maicasbh@maicacorp.com

Kuching, Sarawak

Lot 128 - 130, Vista Industrial Park, Jalan Muara Tabuan,
93350 Kuching, Sarawak.
T : +6082 - 481 012 / 481 013
F : +6082 - 482 009
E : maicaswk@maicacorp.com



Where
Imagination
Comes
to Life

Some things
never
Change

LEGEND

NEW

maEDGE

BEST VIEW IN LARGE FORMAT

HORIZONTAL GRAIN

Connect with Us

Website



Facebook



Instagram



YouTube



LinkedIn





maiBOUTIQ

The Signatures of Maica
Distinctive and Excellent.

mai
Beholding
Originality
Uniqueness
Trend
Identify
Quest



maiCLASSIQ

The Essence of Maica
Timeless and Matchless

mai
Celebrating
Life
Authenticity
Simplicity
Style
Infinity
Quality

maiBOUTIQ

maiCLASSIQ

maica™



maLaminate

mai™ ARTISTIQ

The Ingenuity of Maica
Innovative and Inspirational

Amai™
APPRECIATING
R
T**RHYTHM**
T**THEME**
I**MAGINATION**
S
T**SENSITIVITY**
T**TIMELESSNESS**
I**NVENTION**
Q**UILT**



01 Camosa / Elemen
The magical feel of the contemporary

05 Cascata / Listra
A plethora of tangible vertical lines

12 Clasio / Gino / Asperas
The touch of essence

15 maiStone & Design /
maiMetal
Where creativity intertwines with reality

22 maiSolid Colour
The earthly colours of life in their fullness

27 maiConcept
A series of custom print laminates that
uniquely personalises your taste

Contents



Modern and Sensational



maiTMARTISTIQ

Camosa / Elemen



 **M 32108 - CA**
Sperlonga 

Camosa - CA



 **M 35404 - CA**
Paso Hickory  



 **M 30418 - CA**
Kane Oak  



 **M 30616 - CA**
Flores Walnut 



 **M 33305 - CA**
Pinny Euca 



 **M 35403 - CA**
Leon Hickory  



 **M 30419 - CA**
Maynard Oak  



 **M 30615 - CA**
Rhine Walnut 



 **M 33306 - CA**
Jewells Euca 



Elemen - EL



M 35401 - EL
Groya



M 30702 - EL
Arenas Pine



M 31205 - EL
Mita Teak



M 31206 - EL
Pacarara Teak



M 35402 - EL
Beyan



M 30613 - EL
Weligi Walnut



M 34015 - EL
Eroy Walnut



M 30414 - EL
Gligri Oak

Tactile and Assuring



maiARTISTIQ



Cascata / Listra



Cascata - CT



M 32104 - CT
Espiri Salva



M 30611 - CT
Ventata Walnut



M 32107 - CT
Cevera Salva



M 30614 - CT
Eferel Walnut

Cascata - CT



M 35401 - CT
Groya



M 30413 - CT
Cabossa Oak



M 30706 - CT
Edulis Pine



M 35402 - CT
Beyan



M 32007 - CT
Diamond Salva



M 30409 - CT
Polissa Oak



M 35200 - CT
Nani Ulmus



M 35201 - CT
Maseto Ulmus



M 32104 - CT
Ariccia



Intimate Comfort



Listra - LS



M 35100 - LS
Mokosa



M 30413 - LS
Cabossa Oak



M 33303 - LS
Eukali Linewood



M 32703 - LS
Calma Zebrano



M 30305 - LS
Lavi Maple



M 30306 - LS
Luva Maple



M 35301 - LS
Chafumto



M 32102 - LS
Impressio



M 35000 - LS
Doce Sipo

Listra - LS



M 32704 - LS
Vivace Zebrano



M 35201 - LS
Moseta Ulmus



M 30609 - LS
Holzkoh Walnut



Essential and Purposeful



Clasio / Gino / Asperas

Clasio - CO



M 32102 - CO
Impressio



M 32106 - CO
Espiri Salva



M 30419 - CO
Maynard Oak



M 32105 - CO
Filigra



M 32101 - CO
Akasha



M 32107 - CO
Cevera Salva



M 30418 - CO
Kane Oak



M 32104 - CO
Anticcia

Gino - GN



M 30409 - GN
Pafisa Oak



M 30613 - GN
Weligi Walnut



M 30406 - GN
Sousiante Oak



M 30414 - GN
Gigiri Oak



M 35201 - GN
Maseta Ulmus

Asperas - AP



M 33304 - AP
Mikusu Linewood



M 30417 - AP
Fureta Oak



M 30412 - AP
Bourba Oak

Rustic Delights




mai[™]ARTISTIQ

maiStone & Design /
maiMetal



The Art of **Creativity**

● M 20219
Apuan Marble





M 20218 - CT
Calocata Marble



M 20221 - CT
Torano Marble



M 20219 - CT
Apuan Marble



M 20109 - SD
Platina Silver



M 20108 - SD
Titanium Grey



M 20204 - CL
Raulto



M 20206 - CL
Schaufeule




M 20207 - CL
Versande



M 20208 - CL
Suttilla



M 20209 - CL
Melbiele



M 20205 - CL
Gelatler



M 20110 - CL
Indigo Chambray



M 20111 - CL
Gray Chambray



maiMetal



M 352 - BMT



M 351 - BMG



M 350 - BMS



M 355 - MMS



M 353 - BMK

Simplicity and Dexterity



mai[™]ARTISTIQ

maiSolid Colour

Seda - SD



M 01591 - SD
Snow White



M 11100 - SD
5° Cool Grey



M 11102 - SD
Shadow Grey

Camosa - CA



M 10604 - CA
Porcelain Brown



M 11101 - CA
4° Cool Grey



M 11102 - CA
Shadow Grey



M 10605 - CA
Cendre Brown

Clasio - CO



M 01597 - CO
Warm White



M 11100 - CO
5° Cool Grey



M 11102 - CO
Shadow Grey



M 10603 - CO
Neutral Brown




M 10104 - CO
Calda Red

Asperas - AP



M 01597 - AP
Warm White



M 11200 - AP
Designer Black



M 11101 - AP
4° Cool Grey

Gino - GN



M 01597 - GN
Warm White



M 11200 - GN
Designer Black

Riserva - RS



M 01597 - RS
Warm White




M 11200 - RS
Designer Black

Zilda - ZD



M 01597 - ZD
Warm White



M 01028 - ZD
Charcoal Grey



M 10603 - ZD
Neutral Brown



M 10102 - ZD
Maroon



HCA finish is available upon request.
Please call us for more information.



M 11101 - MT
4" Cool Grey

Mattone finish is available upon request.
Please call us for more information.

Superb
Pleasure of
Custom Print



maiTMARTISTIQ

maiConcept



maiProduct Index

| Pattern No. / Finish | Pattern Name | Page | Thickness (mm) | Size Available |
|----------------------|----------------|-------|----------------|----------------|
| maiWoodgrain | | | | |
| M 30305 - LS | Lavi Maple | PG 10 | 0.8 | 4ft x 8ft |
| M 30306 - LS | Luva-Maple | PG 10 | 0.8 | 4ft x 8ft |
| M 30406 - GN | Sausante Oak | PG 14 | 0.8 | 4ft x 8ft |
| M 30409 - CT | Palissa Oak | PG 07 | 0.8 | 4ft x 8ft |
| M 30409 - GN | Palissa Oak | PG 14 | 0.8 | 4ft x 8ft |
| M 30412 - AP | Bourba Oak | PG 14 | 0.8 | 4ft x 8ft |
| M 30413 - CT | Cabossa Oak | PG 07 | 0.8 | 4ft x 8ft |
| M 30413 - LS | Cabossa Oak | PG 10 | 0.8 | 4ft x 8ft |
| M 30414 - EL | Gigiri Oak | PG 04 | 0.8 | 4ft x 8ft |
| M 30414 - GN | Gigiri Oak | PG 14 | 0.8 | 4ft x 8ft |
| M 30417 - AP | Fureta Oak | PG 14 | 0.8 | 4ft x 8ft |
| M 30418 - CA | Kane Oak | PG 03 | 0.8 | 4ft x 8ft |
| M 30418 - CO | Kane Oak | PG 13 | 0.8 | 4ft x 8ft |
| M 30419 - CA | Maynard Oak | PG 03 | 0.8 | 4ft x 8ft |
| M 30419 - CO | Maynard Oak | PG 13 | 0.8 | 4ft x 8ft |
| M 30609 - LS | Halzkoh Walnut | PG 11 | 0.8 | 4ft x 8ft |
| M 30611 - CT | Ventata Walnut | PG 06 | 0.8 | 4ft x 8ft |
| M 30613 - EL | Weigi Walnut | PG 04 | 0.8 | 4ft x 8ft |
| M 30613 - GN | Weigi Walnut | PG 14 | 0.8 | 4ft x 8ft |
| M 30614 - CT | Eferei Walnut | PG 06 | 0.8 | 4ft x 8ft |
| M 30615 - CA | Rhine Walnut | PG 03 | 0.8 | 4ft x 8ft |
| M 30616 - CA | Flores Walnut | PG 03 | 0.8 | 4ft x 8ft |
| M 30702 - EL | Arenos Pine | PG 04 | 0.8 | 4ft x 8ft |
| M 30706 - CT | Eduis Pine | PG 07 | 0.8 | 4ft x 8ft |
| M 31205 - EL | Mifa Teak | PG 04 | 0.8 | 4ft x 8ft |
| M 31206 - EL | Pacoraro Teak | PG 04 | 0.8 | 4ft x 8ft |
| M 32007 - CT | Diamond Salva | PG 07 | 0.8 | 4ft x 8ft |
| M 32101 - CO | Akasha | PG 13 | 0.8 | 4ft x 8ft |
| M 32102 - CO | Impressio | PG 13 | 0.8 | 4ft x 8ft |
| M 32102 - LS | Impressio | PG 10 | 0.8 | 4ft x 8ft |
| M 32104 - CO | Articcio | PG 13 | 0.8 | 4ft x 8ft |
| M 32104 - CT | Articcio | PG 07 | 0.8 | 4ft x 8ft |
| M 32105 - CO | Filgria | PG 13 | 0.8 | 4ft x 8ft |
| M 32106 - CO | Espiri Salva | PG 13 | 0.8 | 4ft x 8ft |
| M 32106 - CT | Espiri Salva | PG 06 | 0.8 | 4ft x 8ft |
| M 32107 - CO | Cevera Salva | PG 13 | 0.8 | 4ft x 8ft |
| M 32107 - CT | Cevera Salva | PG 06 | 0.8 | 4ft x 8ft |

| Pattern No. / Finish | Pattern Name | Page | Thickness (mm) | Size Available |
|----------------------|------------------|-------|----------------|----------------|
| M 32108 - CA | Sperlanga | PG 02 | 0.8 | 4ft x 8ft |
| M 32703 - LS | Calmo Zebrano | PG 10 | 0.8 | 4ft x 8ft |
| M 32704 - LS | Vivace Zebrano | PG 11 | 0.8 | 4ft x 8ft |
| M 33303 - LS | Eukali Linewood | PG 10 | 0.8 | 4ft x 8ft |
| M 33304 - AP | Mikkusu Linewood | PG 14 | 0.8 | 4ft x 8ft |
| M 33305 - CA | Pinny Euca | PG 03 | 0.8 | 4ft x 8ft |
| M 33306 - CA | Jewells Euca | PG 03 | 0.8 | 4ft x 8ft |
| M 34015 - EL | Eroy Walnut | PG 04 | 0.8 | 4ft x 8ft |
| M 35000 - LS | Doce Sipa | PG 10 | 0.8 | 4ft x 8ft |
| M 35100 - LS | Mekosa | PG 10 | 0.8 | 4ft x 8ft |
| M 35200 - CT | Nani Ulmus | PG 07 | 0.8 | 4ft x 8ft |
| M 35201 - CT | Moseta Ulmus | PG 07 | 0.8 | 4ft x 8ft |
| M 35201 - GN | Moseta Ulmus | PG 14 | 0.8 | 4ft x 8ft |
| M 35201 - LS | Moseta Ulmus | PG 11 | 0.8 | 4ft x 8ft |
| M 35301 - LS | Chatumto | PG 10 | 0.8 | 4ft x 8ft |
| M 35401 - CT | Groya | PG 07 | 0.8 | 4ft x 8ft |
| M 35401 - EL | Groya | PG 04 | 0.8 | 4ft x 8ft |
| M 35402 - CT | Beyan | PG 07 | 0.8 | 4ft x 8ft |
| M 35402 - EL | Beyan | PG 04 | 0.8 | 4ft x 8ft |
| M 35403 - CA | Leon Hickory | PG 03 | 0.8 | 4ft x 8ft |
| M 35404 - CA | Paso Hickory | PG 03 | 0.8 | 4ft x 8ft |

maiSolid Colour

| Pattern No. / Finish | Pattern Name | Page | Thickness (mm) | Size Available |
|----------------------|-----------------|-------|----------------|----------------|
| M 01028 - ZD | Charcoal Grey | PG 26 | 0.8 | 4ft x 8ft |
| M 01591 - SD | Snow White | PG 23 | 0.8 | 4ft x 8ft |
| M 01597 - AP | Warm White | PG 25 | 0.8 | 4ft x 8ft |
| M 01597 - CO | Warm White | PG 24 | 0.8 | 4ft x 8ft |
| M 01597 - GN | Warm White | PG 25 | 0.8 | 4ft x 8ft |
| M 01597 - RS | Warm White | PG 25 | 0.8 | 4ft x 8ft |
| M 01597 - ZD | Warm White | PG 26 | 0.8 | 4ft x 8ft |
| M 10102 - ZD | Maroon | PG 26 | 0.8 | 4ft x 8ft |
| M 10104 - CO | Coldo Red | PG 24 | 0.8 | 4ft x 8ft |
| M 10603 - CO | Neutral Brown | PG 24 | 0.8 | 4ft x 8ft |
| M 10603 - ZD | Neutral Brown | PG 26 | 0.8 | 4ft x 8ft |
| M 10604 - CA | Porcelain Brown | PG 23 | 0.8 | 4ft x 8ft |
| M 10605 - CA | Cendre Brown | PG 23 | 0.8 | 4ft x 8ft |
| M 11100 - CO | 5° Cool Grey | PG 24 | 0.8 | 4ft x 8ft |

maiTM Concept

A series of custom print laminates that uniquely personalises your taste.

A collection of ready prints awaits your selection. Designs of your excellent creativity are doable too. We commit to fine delivery with our in-house printing technology and the use of specialised industrial paper. These are carefully done to achieve one thing – Superb Quality.

maiApplication:

- Horizontal and vertical applications
- Table tops / reception counters
- Wall cladding / wall panels / toilet cubicle systems (maiCompact)



| Pattern No. / Finish | Pattern Name | Page | Thickness (mm) | Size Available |
|----------------------|----------------|-------|----------------|----------------|
| M 11100 - SD | 5° Cool Grey | PG 23 | 0.8 | 4ft x 8ft |
| M 11101 - AP | 4° Cool Grey | PG 25 | 0.8 | 4ft x 8ft |
| M 11101 - CA | 4° Cool Grey | PG 23 | 0.8 | 4ft x 8ft |
| M 11102 - CA | Shadow Grey | PG 23 | 0.8 | 4ft x 8ft |
| M 11102 - CO | Shadow Grey | PG 24 | 0.8 | 4ft x 8ft |
| M 11102 - SD | Shadow Grey | PG 23 | 0.8 | 4ft x 8ft |
| M 11200 - AP | Designer Black | PG 25 | 0.8 | 4ft x 8ft |
| M 11200 - GN | Designer Black | PG 25 | 0.8 | 4ft x 8ft |
| M 11200 - RS | Designer Black | PG 25 | 0.8 | 4ft x 8ft |

maiStone & Design/ maiTextile

| | | | | |
|--------------|-----------------|-------|-----|-----------|
| M 20108 - SD | Titanium Grey | PG 18 | 0.8 | 4ft x 8ft |
| M 20109 - SD | Platina Silver | PG 18 | 0.8 | 4ft x 8ft |
| M 20110 - CL | Indigo Chambray | PG 19 | 0.8 | 4ft x 8ft |
| M 20111 - CL | Gray Chambray | PG 19 | 0.8 | 4ft x 8ft |
| M 20204 - CL | Raulito | PG 19 | 0.8 | 4ft x 8ft |
| M 20205 - CL | Gelafier | PG 19 | 0.8 | 4ft x 8ft |
| M 20206 - CL | Schaufeule | PG 19 | 0.8 | 4ft x 8ft |
| M 20207 - CL | Versande | PG 19 | 0.8 | 4ft x 8ft |
| M 20208 - CL | Suffita | PG 19 | 0.8 | 4ft x 8ft |
| M 20209 - CL | Meibiele | PG 19 | 0.8 | 4ft x 8ft |
| M 20218 - CT | Catocata Marble | PG 18 | 0.8 | 4ft x 8ft |
| M 20219 - CT | Apuan Marble | PG 18 | 0.8 | 4ft x 8ft |
| M 20221 - CT | Torano Marble | PG 18 | 0.8 | 4ft x 8ft |

maiMetal

| | | | | |
|-------------|------|-------|-----|-----------|
| M 350 - BMS | M350 | PG 20 | 0.8 | 4ft x 8ft |
| M 351 - BMG | M351 | PG 20 | 0.8 | 4ft x 8ft |
| M 352 - BMT | M352 | PG 20 | 0.8 | 4ft x 8ft |
| M 353 - BMK | M353 | PG 20 | 0.8 | 4ft x 8ft |
| M 355 - MMS | M355 | PG 20 | 0.8 | 4ft x 8ft |

maiFinishes Codes & Names

| | |
|--------------|--------------|
| AP - Asperas | GN - Gino |
| CA - Camosa | LS - Litra |
| CL - Collaco | RS - Riserva |
| CO - Clasio | SD - Seda |
| CT - Cascata | ZD - Zilda |
| EL - Elemen | |



maia SUSTAINABLE

The passion of Maica goes beyond manufacturing High Pressure Decorative Laminate (HPL) and Compact Laminates. In compliance with the European Standard EN 438, product quality is indisputably its primary focus. Notwithstanding, Green Manufacturing and Green Products have a very special place in the heart of Maica.

Maica is committed to manufacture environmental-friendly products with the use of sustainable raw materials. The use of kraft papers that are made of virgin pulps from non-virgin plantations / forestry has earned Maica the Singapore Green Label for the 'Made from Renewable / Sustainable Materials' category.

In addition, Maica's products are certified for GREENGUARD and GREENGUARD GOLD, the proofs of low chemical emissions that warrant healthy indoor air quality.

Moreover, Maica has secured MyHIAU for its maiLaminate and maiCompact and that they are accorded with certain Green Building Index (GBI) credit points that come with tax benefits.

Since 2015, Maica has obtained FSC Chain of Custody (CoC) certificate with FSC™ License Code of FSC™ C126725. Maica is ready to produce FSC Mix label maiLaminate and maiCompact upon request by customers.



Our products also carry a combination of the following maiQualities



European
Standard
EN 438



maiAnti-Bacterial

- Malca Laminates makes silver-ion antimicrobial technology a standard requirement for most of our laminate products.
- Our products are tested based on JIS Z2801:2012 for 5 types of bacteria: *Escherichia coli*, *Pseudomonas aeruginosa*, *Salmonella choleraesuis*, *Staphylococcus aureus* and *Methicillin-resistant Staphylococcus aureus*.
- It also reduces the level of microbes responsible for surface degradation and other associated issues, such as foul odour.
- Regular cleaning is required as part of the maintenance for the products as oil and dirt may undermine silver-ion technology from inhibiting the growth of bacteria and fungi.

maiAnti-Fungi

- Tested based on the ASTM G21 standard.
- Fungi tested: *Aspergillus niger*, *Penicillium phophtium*, *Chaetomium globosum*, *Glocladium vrens* and *Aureobasidium pullulans*.

maiFood Contact Safety

- Our laminates products are certified by ISEGA, a laboratory in Germany, to be safe for use for food preparation and treatment on the basis that hygiene regulations are not violated.

Product Specification

Based on European Standard EN 438

| Property | Property or attribute | Unit (min. or max.) | EN 438 Values HGS |
|---|----------------------------------|-------------------------------|------------------------|
| Resistance to Surface Wear | Wear Resistance | Revolutions (min.) | 150 |
| | | Initial point Wear value | 350 |
| Resistance to Impact by Small Diameter Ball | Spring Force | N (min.) | 20 |
| Resistance to Impact by Large Diameter Ball | Drop Height Indent Diameter | mm (min.) | 800 |
| | | mm (max.) | 10 |
| Resistance to Scratching | Force | Rating (min.) | 3 |
| Dimensional Stability at Elevated Temperature | Cumulative Dimensional Change | % (max.) | L a) 0.55 T b) 1.05 |
| | | | |
| Resistance to Immersion in Boiling Water | Appearance | Rating (min.) Gloss finish | 3 |
| | | Other finishes | 4 |
| Resistance to Dry Heat (180°C) | Appearance | Rating (min.) Gloss finish | 3 |
| | | Other finishes | 4 |
| Resistance to Wet Heat (100°C) | Appearance | Rating (min.) Gloss Finish | 3 |
| | | Other finishes | 4 |
| Resistance to Staining | Appearance | Rating (min.) Groups 1 & 2 | 5 |
| | | Group 3 | 4 |
| Lightfastness (Xenon Arc) | Contrast | Grey scale rating | 4 to 5 |
| Resistance to Water Vapour | Appearance | Rating (min.) Gloss finish | 3 |
| | | Other finishes | 4 |
| Resistance to Cigarette Burns | Appearance | Rating (min.) | 3 |
| Resistance to Cracking Under Stress | Appearance | Rating (min.) | 4 |
| Density | Density | kg/m ³ (min.) | 1350 |

a) L = in the longitudinal (or machine) direction of the fibrous sheet material (normally the direction of the longest dimension of the laminate).

b) T = in the cross-longitudinal (cross-machine) direction of the fibrous sheet material (at right angles to direction L).

c) The above is a general Product Specification. Please contact our Sales Specialists for specific Product Specification.

Maintenance & Cleaning Instructions

General Cleaning Instructions:

1. Use a clean, damp, non-abrasive cloth and mild soap, non-bleach or household cleaner.
2. Rinse with clear water, using a clean, non-abrasive cotton cloth.
3. Avoid flooding laminate particularly areas near to seams to prevent water from seeping in and consequently causing substrate to swell.
4. Dry laminate surface with a soft, clean, non-abrasive cotton cloth.

For Stubborn Stains:

1. Food stains: Use a mild cleaner, detergent or general purpose cleaner, and a short, soft nylon-bristled brush to gently clean stains.
2. Ink stains: Remove stains immediately, using detergent or glass spray cleaner. Allow cleaner to remain on the stain for several minutes and then blot with a damp cloth before rinse.
3. Solvents such as denatured alcohol, nail polish remover or paint thinner can be used sparingly for very stubborn stains.

Caution: Excessive use of solvents will damage the laminate finish and cause it more susceptible to stains. Do not use cleaning agents containing acid, alkaline or sodium hypochlorite on laminate surface to avoid corrosion or permanent discoloration.

To prolong the lifespan of Maica's laminate surface:

- Do not use laminate surface as a cutting or chopping surface.
- Always remove stains or marks immediately before they set. Once set, they require more aggressive cleaning procedures that may damage laminate surface.
- Place a trivet, insulated hot pad or other protective padding beneath all hot cookware, heat generating appliances or other heated objects instead of putting it directly on laminate surface.
- Do not use steel wool or abrasive pads on laminate surface, and do not place steel wools on it to avoid metal rust stains.
- Do not slide ceramics and abrasive objects across laminate surface as they may cause scratch and premature wear.
- Do not use acidic or abrasive cleaning agents on laminate surface as it may damage surface.
- Do not allow contact between any materials or items contaminated with acidic or abrasive cleaning agents and laminate surface.

Disclaimer

- The samples and products of Maica are manufactured with certain tolerances. They may not originate from the same batch of production. Pigment variation and angle of observation may influence the colour of products. For accurate representation, customers are advised to request samples from our Sales Specialists.
- Sample chips in this catalogue are intended for viewing purpose only. For product tests, please request for actual product samples.
- Maica will not be responsible for any claim arising from any errors in pasting sample chips in the catalogue. Therefore, customers are expected to inspect the products they receive before fabrication or installation.
- All information in this catalogue is correct at the time of print. However, Maica reserves the rights to make changes to the information in this catalogue without prior notice.
- The liability of Maica for any potential manufacturing faults is limited to the cost of the products only.
- All rights reserved. No part of this catalogue may be reproduced, stored in a retrieval system or transmitted, in any form or by any means, electronic, mechanical, photocopying, recording or otherwise, without the written permission of Maica Laminates Sdn Bhd (Company Registration No: 107254-D).

Maica Trademarks

'Maica', 'mai', 'mimai' and the 'maica' logo are trademarks of Maica Laminates Sdn Bhd.

International Sales Enquiries

MAICA LAMINATES SDN BHD (107254-D)

5100, Lorong Mak Mandin 5, Mak Mandin Industrial Estate,
13400 Butterworth, Penang, Malaysia.
T : +604 - 332 7436 / 332 7437 / 332 7439 / 332 7440
F : +604 - 332 6570 (Marketing) / 332 4045 (General)
E : marketing@maica.com.my

Sales & Distribution (Malaysia)

mailHotline

T : +6016 - 416 5687 / +604 - 332 7436
E : kringaling@maica.com.my

MAICA CORPORATION SDN BHD (90632-U)

Administration Office, Penang
5100, Lorong Mak Mandin 5, Mak Mandin Industrial Estate,
13400 Butterworth, Penang.
T : +604 - 324 1436 / 324 5436
F : +604 - 324 9405
E : mchq@maicacorp.com

Butterworth, Penang

902, Jalan Bagan Ajam, Taman Zamrud,
13000 Butterworth, Penang.
T : +604 - 332 7200 / 332 7201
F : +604 - 331 8258
E : maicabtw@maicacorp.com

Petaling Jaya, Selangor

No. 25 & 27, Jalan PJS 7/21, Bandar Sunway,
46150 Petaling Jaya, Selangor.
T : +603 - 5631 5868 (Hotline)
F : +603 - 5631 5889 (General) /
+603 - 5638 3213 (Customer Service)
E : maicapj@maicacorp.com

Johor Bahru, Johor

No. 31 & 33, Jalan Mullara Emas 5/23, Taman Mount Austin,
81100 Johor Bahru, Johor.
T : +607 - 354 0011 / 353 6185
F : +607 - 353 6187 / 351 1905
E : maicajb@maicacorp.com

Kota Kinabalu, Sabah

No. 2A, Lot 22, Industry E33 Likas, Mile 2 1/2, Jalan Tuaran Ukas,
88400 Kota Kinabalu, Sabah.
T : +6088 - 278 897 / 278 898
F : +6088 - 278 808
E : maicasbh@maicacorp.com

Kuching, Sarawak

Lot 128 - 130, Vista Industrial Park, Jalan Muara Tabuan,
93350 Kuching, Sarawak.
T : +6082 - 481 012 / 481 013
F : +6082 - 482 009
E : maicaswk@maicacorp.com

LEGEND

NEW

BEST VIEW IN LARGE FORMAT

HORIZONTAL GRAIN

Connect with Us

Website



Facebook



Instagram



YouTube



LinkedIn





maiARTISTIQ

The Ingenuity of Maico
Innovative and Inspirational

mai[™]

Appreciating

Rhythm

Theme

Imagination

Sensitivity

Timelessness

Invention

Quilt

maiARTISTIQ

maica™



maLaminate

mai™ UNIQ

The Exquisiteness of Maica
Extravagant and Premium



Umai™
UNIQUE
INNOVATION
IMPECCABILITY
QUAINTNESS

1 Brand
Quality

Where
Imagination
comes
to life

Some things
never
change

01 maiinvisible-T

Simply impeccable as the range embodies Thermal Recovery of Scuff and Anti-Fingerprint


07 maiColour Core

Perfectly homogeneous in the colour of the surface and the core enabling seamless joint

13 maiPalvo

Irresistibly easy to clean for a powdery surface makes it a finish of novelty

Contents



Anti-Fingerprint





mai
Invisible-T



Anti-Fingerprint



Soft & Velvety Touch



Scuff Resistance



Impact Resistance



Easy Maintenance



Antistatic



Thermal Recovery of Scuff



Let maiInvisible-T take you for a pinnacle experience in laminate technology. Applying an electron-beam cured surface, it is a premium range that gently boasts of thermal recovery of scuff, anti-fingerprint, and an extreme ease of maintenance that makes it a choice close to heart of the discerning.

- ✓ Thermal recovery of scuff
- ✓ Natural matte surface
- ✓ Soft & velvety touch
- ✓ Anti-fingerprint
- ✓ Resistant to impact, stain, heat and water


maiApplication:

- Horizontal and vertical applications
- High traffic areas
- Food & beverage outlets

maiQualities:

European
Standard
EN 438







M 90103 - M
Silver Argento
✦



M 90101 - M
Pure Canuto
✦



M 90100 - M
Blaec Flagrare
✦



M 90106 - M
Vivid Rossa
✦




M 90104 - M
Indigo Blu
✦



M 90105 - M
Lilac Viola
✦



M 90102 - M
Ashley Grizz
✦



100% solid
colour




Seamless
joint



maiUNIQ

maiCOLOUR CORE

Clasio - CO

M 80100 - CO
NieveraM 80200 - CO
Grisa**maiColour Core**



Harmonising the colour of the surface and the core, making seamlessness perfectly achievable in custom-made furniture making.

Comes in red, white, grey, and black, and a few distinguished Malca's signature surface finishes. They are tastefully picked to ensure that customer expectation is well understood and passionately delivered through the premium selection of maiColour Core.


maiApplication:

- Designer furniture tables
- Flat surfaces without the need for edging support
- Wardrobes, cabinets, TV consoles, coffee tables


High Gloss - G

M 80100 - G
NieveraM 80200 - G
GrisaM 80300 - G
KaraM 80400 - G
Rubeus


Texture - X



 M 80100 - X
Nievera




 M 80200 - X
Grisa




 M 80300 - X
Kara




 M 80400 - X
Rubeus


Matte - M



 M 80100 - M
Nievera






 M 80200 - M
Grisa



 M 80300 - M
Kara



 M 80400 - M
Rubeus



Easy Clean



maiUNIQ

maiPALVO



Easy Clean

maiPalvo is the latest choice in our collection of surface finish. Celebrated for its distinctive powdery touch, it promises easy clean and near-zero maintenance on the few selected maiWoodgrain and maiSolid Colour patterns.

maiApplication:

- Horizontal and vertical applications
- Residential and commercial use
- Food & beverage outlets
- Sports related facilities





Easy Clean

Palvo - PV



M 30609 - PV
Holzkoh Walnut



M 35302 - PV
Marlo



M 30616 - PV
Flores Walnut



M 33306 - PV
Jewells Euca



M 32403 - PV
Sombra Ash



M 35301 - PV
Chafumto



M 30615 - PV
Rhine Walnut



M 33305 - PV
Pinny Euca



Easy Clean

Palvo - PV




M 10705 - PV
Merlot Purple



M 11102 - PV
Shadow Grey



M 01871 - PV
Walnut Brown



M 10606 - PV
Chemin Brown



M 10703 - PV
Vieux Purple



M 11101 - PV
4° Cool Grey



M 01895 - PV
White Beige



M 01597 - PV
Warm White

maiProduct Index

| Pattern No. / Finish | Pattern Name | Page | Thickness (mm) | Size Available |
|-----------------------|----------------|-------|----------------|----------------|
| maiInvisible-T | | | | |
| M 90100 - M | Blaec Flagrare | PG 04 | 1.0 | 4ft x 8ft |
| M 90101 - M | Pure Caruto | PG 04 | 1.0 | 4ft x 8ft |
| M 90102 - M | Ashley Grizz | PG 05 | 1.0 | 4ft x 8ft |
| M 90103 - M | Silver Argenta | PG 04 | 1.0 | 4ft x 8ft |
| M 90104 - M | Indigo Blu | PG 05 | 1.0 | 4ft x 8ft |
| M 90105 - M | Lilac Viola | PG 05 | 1.0 | 4ft x 8ft |
| M 90106 - M | Vivid Rossa | PG 05 | 1.0 | 4ft x 8ft |

| maiColour Core | | | | |
|-----------------------|---------|-------|-----|-----------|
| M 80100 - X | Nievera | PG 10 | 1.0 | 4ft x 8ft |
| M 80100 - M | Nievera | PG 11 | 1.0 | 4ft x 8ft |
| M 80100 - G | Nievera | PG 09 | 1.0 | 4ft x 8ft |
| M 80100 - CO | Nievera | PG 08 | 1.0 | 4ft x 8ft |
| M 80200 - X | Grisa | PG 10 | 1.0 | 4ft x 8ft |
| M 80200 - M | Grisa | PG 11 | 1.0 | 4ft x 8ft |
| M 80200 - G | Grisa | PG 09 | 1.0 | 4ft x 8ft |
| M 80200 - CO | Grisa | PG 08 | 1.0 | 4ft x 8ft |
| M 80300 - X | Kara | PG 10 | 1.0 | 4ft x 8ft |
| M 80300 - M | Kara | PG 11 | 1.0 | 4ft x 8ft |
| M 80300 - G | Kara | PG 09 | 1.0 | 4ft x 8ft |
| M 80400 - X | Rubeus | PG 10 | 1.0 | 4ft x 8ft |
| M 80400 - M | Rubeus | PG 11 | 1.0 | 4ft x 8ft |
| M 80400 - G | Rubeus | PG 09 | 1.0 | 4ft x 8ft |

| Pattern No. / Finish | Pattern Name | Page | Thickness (mm) | Size Available |
|----------------------|----------------|-------|----------------|----------------|
| maiWoodgrain | | | | |
| M 30609 - PV | Holzboh Walnut | PG 16 | 0.8 | 4ft x 8ft |
| M 30615 - PV | Rhine Walnut | PG 16 | 0.8 | 4ft x 8ft |
| M 30616 - PV | Flores Walnut | PG 16 | 0.8 | 4ft x 8ft |
| M 32403 - PV | Sombra Ash | PG 16 | 0.8 | 4ft x 8ft |
| M 33305 - PV | Pinky Euca | PG 16 | 0.8 | 4ft x 8ft |
| M 33306 - PV | Jewells Euca | PG 16 | 0.8 | 4ft x 8ft |
| M 35301 - PV | Chafumto | PG 16 | 0.8 | 4ft x 8ft |
| M 35302 - PV | Marlo | PG 16 | 0.8 | 4ft x 8ft |

| maiSolid Colour | | | | |
|------------------------|---------------|-------|-----|-----------|
| M 01597 - PV | Warm White | PG 17 | 0.8 | 4ft x 8ft |
| M 01871 - PV | Walnut Brown | PG 17 | 0.8 | 4ft x 8ft |
| M 01895 - PV | White Beige | PG 17 | 0.8 | 4ft x 8ft |
| M 10606 - PV | Chemin Brown | PG 17 | 0.8 | 4ft x 8ft |
| M 10703 - PV | Vieux Purple | PG 17 | 0.8 | 4ft x 8ft |
| M 10705 - PV | Merlot Purple | PG 17 | 0.8 | 4ft x 8ft |
| M 11101 - PV | 4° Cool Grey | PG 17 | 0.8 | 4ft x 8ft |
| M 11102 - PV | Shadow Grey | PG 17 | 0.8 | 4ft x 8ft |

maiFinishes Codes & Names

| | |
|----|--------------|
| CO | - Clasio |
| G | - High Gloss |
| M | - Matte |
| PV | - Palvo |
| X | - Texture |

mai
SUSTAINABLE

Lifestyle



The passion of Maica goes beyond manufacturing High Pressure Decorative Laminate (HPL) and Compact Laminates. In compliance with the European Standard EN 438, product quality is indisputably its primary focus. Notwithstanding, Green Manufacturing and Green Products have a very special place in the heart of Maica.

Maica is committed to manufacture environmental-friendly products with the use of sustainable raw materials. The use of kraft papers that are made of virgin pulps from non-virgin plantations / forestry has earned Maica the Singapore Green Label for the 'Made from Renewable / Sustainable Materials' category.

In addition, Maica's products are certified for GREENGUARD and GREENGUARD GOLD, the proofs of low chemical emissions that warrant healthy indoor air quality.

Moreover, Maica has secured MyHIAU for its maiLaminate and maiCompact and that they are accorded with certain Green Building Index (GBI) credit points that come with tax benefits.

Since 2015, Maica has obtained FSC Chain of Custody (CoC) certificate with FSC™ License Code of FSC™ C126725. Maica is ready to produce FSC Mix label maiLaminate and maiCompact upon request by customers.



Our products also carry a combination of the following maiQualities



European
Standard
EN 438



maiAnti-Bacterial (For maiColour Core & maiPalvo)

- MaiCo Laminates makes silver-ion antimicrobial technology a standard requirement for most of our laminate products.
- Our products are tested based on JIS Z2801:2012 for 5 types of bacteria: *Escherichia coli*, *Pseudomonas aeruginosa*, *Salmonella choleraesuis*, *Staphylococcus aureus* and *Methicillin-resistant Staphylococcus aureus*.
- It also reduces the level of microbes responsible for surface degradation and other associated issues, such as foul odour.
- Regular cleaning is required as part of the maintenance for the products as oil and dirt may undermine silver-ion technology from inhibiting the growth of bacteria and fungi.

maiAnti-Fungi (For maiColour Core & maiPalvo)

- Tested based on the ASTM G21 standard.
- Fungi tested: *Aspergillus niger*, *Penicillium pinophilum*, *Chaetomium globosum*, *Glaciadium virens* and *Aureobasidium pullulans*.

maiFood Contact Safety (For maiColour Core & maiPalvo)

- Our laminates products are certified by ISEGA, a laboratory in Germany, to be safe for use for food preparation and treatment on the basis that hygiene regulations are not violated.

maiAnti-Scuffing (For High Gloss)

- A standard quality for High Gloss surface finish.
- Micro-solid particles are added to protect laminate surface from scuff.

maiAnti-Fingerprint (For maiInvisible-T)

- A special quality made possible with the application of Electron Beam Curing (EBC) technology on laminate surface.
- It requires minimal maintenance. Please use plain water and cloth to remove sweaty and greasy fingerprints, and oil.

Product Specification

Based on European Standard EN 438

| Property | Property or attribute | Unit (min. or max.) | EN 438 Values HGS |
|---|----------------------------------|-------------------------------|-------------------|
| Resistance to Surface Wear | Wear Resistance | Revolutions (min.) | 150 |
| | | Initial point Wear value | 350 |
| Resistance to Impact by Small Diameter Ball | Spring Force | N (min.) | 20 |
| Resistance to Impact by Large Diameter Ball | Drop Height Indent Diameter | mm (min.) | 800 |
| | | mm (max.) | 10 |
| Resistance to Scratching | Force | Rating (min.) | 3 |
| Dimensional Stability at Elevated Temperature | Cumulative Dimensional Change | % (max.) | L a) 0.55 |
| | | | T b) 1.05 |
| Resistance to Immersion in Boiling Water | Appearance | Rating (min.) Gloss finish | 3 |
| | | Other finishes | 4 |
| Resistance to Dry Heat (180°C) | Appearance | Rating (min.) Gloss finish | 3 |
| | | Other finishes | 4 |
| Resistance to Wet Heat (100°C) | Appearance | Rating (min.) Gloss Finish | 3 |
| | | Other finishes | 4 |
| Resistance to Staining | Appearance | Rating (min.) Groups 1 & 2 | 5 |
| | | Group 3 | 4 |
| Lightfastness (Xenon Arc) | Contrast | Grey scale rating | 4 to 5 |
| Resistance to Water Vapour | Appearance | Rating (min.) Gloss finish | 3 |
| | | Other finishes | 4 |
| Resistance to Cigarette Burns | Appearance | Rating (min.) | 3 |
| Resistance to Cracking Under Stress | Appearance | Rating (min.) | 4 |
| Density | Density | kg/m ³ (min.) | 1350 |

a) L = in the longitudinal (or machine) direction of the fibrous sheet material (normally the direction of the longest dimension of the laminate).

b) T = in the cross-longitudinal (cross-machine) direction of the fibrous sheet material (at right angles to direction L).

c) The above is a general Product Specification. Please contact our Sales Specialists for specific Product Specification.

Maintenance & Cleaning Instructions

General Cleaning Instructions:

1. Use a clean, damp, non-abrasive cloth and mild soap, non-bleach or household cleaner.
2. Rinse with clear water, using a clean, non-abrasive cotton cloth.
3. Avoid flooding laminate particularly areas near to seams to prevent water from seeping in and consequently causing substrate to swell.
4. Dry laminate surface with a soft, clean, non-abrasive cotton cloth.

For Stubborn Stains:

1. Food stains: Use a mild cleaner, detergent or general purpose cleaner, and a short, soft nylon-bristled brush to gently clean stains.
2. Ink stains: Remove stains immediately, using detergent or glass spray cleaner. Allow cleaner to remain on the stain for several minutes and then blot with a damp cloth before rinse.
3. Solvents such as denatured alcohol, nail polish remover or paint thinner can be used sparingly for very stubborn stains.

Caution: Excessive use of solvents will damage the laminate finish and cause it more susceptible to stains. Do not use cleaning agents containing acid, alkaline or sodium hypochlorite on laminate surface to avoid corrosion or permanent discoloration.

To prolong the lifespan of Maica's laminate surface

- Do not use laminate surface as a cutting or chopping surface.
- Always remove stains or marks immediately before they set. Once set, they require more aggressive cleaning procedures that may damage laminate surface.
- Place a trivet, insulated hot pad or other protective padding beneath all hot cookware, heat generating appliances or other heated objects instead of putting it directly on laminate surface.
- Do not use steel wool or abrasive pads on laminate surface, and do not place steel wools on it to avoid metal rust stains.
- Do not slide ceramics and abrasive objects across laminate surface as they may cause scratch and premature wear.
- Do not use acidic or abrasive cleaning agents on laminate surface as it may damage surface.
- Do not allow contact between any materials or items contaminated with acidic or abrasive cleaning agents and laminate surface.

Disclaimer:

- The samples and products of Maica are manufactured with certain tolerances. They may not originate from the same batch of production. Pigment variation and angle of observation may influence the colour of products. For accurate representation, customers are advised to request samples from our Sales Specialists.
- Sample chips in this catalogue are intended for viewing purpose only. For product tests, please request for actual product samples.
- Maica will not be responsible for any claim arising from any errors in pasting sample chips in the catalogue. Therefore, customers are expected to inspect the products they receive before fabrication or installation.
- All information in this catalogue is correct at the time of print. However, Maica reserves the rights to make changes to the information in this catalogue without prior notice.
- The liability of Maica for any potential manufacturing faults is limited to the cost of the products only.
- All rights reserved. No part of this catalogue may be reproduced, stored in a retrieval system or transmitted, in any form or by any means, electronic, mechanical, photocopying, recording or otherwise, without the written permission of Maica Laminates Sdn Bhd (Company Registration No: 107254-D).

Maica Trademarks

'Maica', 'mai', 'mimai' and the 'maica' logo are trademarks of Maica Laminates Sdn Bhd.

International Sales Enquiries

MAICA LAMINATES SDN BHD (107254-D)

5100, Lorong Mak Mandin 5, Mak Mandin Industrial Estate,
13400 Butterworth, Penang, Malaysia.
T : +604 - 332 7436 / 332 7437 / 332 7439 / 332 7440
F : +604 - 332 6570 (Marketing) / 332 4045 (General)
E : marketing@maica.com.my

Sales & Distribution (Malaysia)

malHotline

T : +6016 - 416 5687 / +604 - 332 7436
E : kringkrng@maica.com.my

MAICA CORPORATION SDN BHD (90632-U)

Administration Office, Penang
5100, Lorong Mak Mandin 5, Mak Mandin Industrial Estate,
13400 Butterworth, Penang.
T : +604 - 324 1436 / 324 5436
F : +604 - 324 9405
E : mchq@malcorp.com

Butterworth, Penang

902, Jalan Bagan Ayam, Taman Zamrud,
13000 Butterworth, Penang.
T : +604 - 332 7200 / 332 7201
F : +604 - 331 8258
E : malcabtw@malcorp.com

Petaling Jaya, Selangor

No. 25 & 27, Jalan PJS 7/21, Bandar Sunway,
46150 Petaling Jaya, Selangor.
T : +603 - 5631 5868 (Hotline)
F : +603 - 5631 5889 (General) /
+603 - 5638 3213 (Customer Service)
E : malcapj@malcorp.com

Johor Bahru, Johor

No. 31 & 33, Jalan Mutiara Emas 5/23, Taman Mount Austin,
81100 Johor Bahru, Johor.
T : +607 - 354 0011 / 353 6186
F : +607 - 353 6187 / 351 1905
E : maicajb@malcorp.com

Kota Kinabalu, Sabah

No. 2A, Lot 22, Industry E33 Likas, Mile 2 1/2, Jalan Tuaran Likas,
88400 Kota Kinabalu, Sabah.
T : +6088 - 278 897 / 278 898
F : +6088 - 278 808
E : maicasbh@malcorp.com

Kuching, Sarawak

Lot 128 - 130, Vista Industrial Park, Jalan Muara Tabuan,
93350 Kuching, Sarawak.
T : +6082 - 481 012 / 481 013
F : +6082 - 482 009
E : maicaswk@malcorp.com



Connect with Us

Website



Facebook



Instagram



YouTube



LinkedIn





maiUNIQ

The Exquisiteness of Maica
Extravagant and Premium

mai™

U
nfolding

N
ovity

I
mpeccability

Q
uaintness

maiUNIQ